

Stacks, Queues

Bryce Boe

2013/07/30

CS24, Summer 2013 C

Outline

- Stacks
- Queues

STACKS

Stack

- A First-in Last-out data structure (FILO)
 - Operates like a stack of papers
- Operations
 - void push(T item)
 - Add an item to the stack
 - T pop()
 - Remove and return the most recently added item from the stack

Linked-List Implementation

- `push(item)`
 - Use `insert(0, item)` for a $O(1)$
- `pop(item)`
 - Use `remove_at(0)` for a $O(1)$

Array-based implementation

- `push(item)`
 - Use `insert_at(-1, item)` for an $O(1)$ insertion
 - $O(n)$ when the array must expand
- `pop()`
 - Use `remove_at(-1)` for an $O(1)$ removal

QUEUES



Queues

- What is a queue?
 - A data structure that allows access to items in a first in, first out manor (FIFO)
- What are its operations?
 - **enqueue** (add to the queue)
 - **dequeue** (remove the *oldest* item in the queue)
- What are some example queues?
 - Waiting in line, task scheduling, data buffering

Linked List Implementation

- Stacks add and remove from the same side, thus it makes sense to add and remove from opposite sides
- BUT, adding and removing from the end of the list is $O(n)$

Make the linked list smarter

- Add a *tail* pointer
 - Gives us immediate access to the end of the list
 - Can we improve these functions' efficiency?
 - insert_at(-1, item)?  YES
 - remove_at(-1)?  NO

Linked-List Implementation

- enqueue(item)
 - Use insert(-1, item) for a $O(1)$
 - Assumes we have a working tail pointer in the list
- dequeue(item)
 - Use remove_at(0) for a $O(1)$

Array-based implementation

- To implement an unbounded queue on top of the array-based implementation of a list requires treating the array as circular
- Rather than using 0 as a base index, the queue needs to keep track of which index should be the base, and use modular arithmetic to wrap around
- When the array needs to grow, the values must be manually “reset” such that the base index is at the zero position

Array-based implementation

- enqueue(item)
 - Use `insert_at((BASE + size) % allocated, item)` for an $O(1)$ operation
- dequeue(item)
 - Use `remove_at(BASE)` for an $O(1)$ operation and make sure to increment the BASE

Problems we can now solve

- Write a program to determine if a given text is a palindrome:
 - racecar, stats
 - **poordanisinadroop**
- Take a few minutes to solve it with your neighbor

Palindrome Solution

```
bool is_palindrome(char *word) {  
    Queue queue;  
    Stack stack;  
    int index = 0;  
    //iterate through the word adding to the queue  
    while(word[index] != '\0') {  
        stack.push(word[index]);  
        queue.enqueue(word[index++]);  
    }  
    while(!queue.is_empty())  
        if (stack.pop() != queue.dequeue())  
            return false;  
    return true;  
}
```